

Pubblicazioni scientifiche su riviste scientifiche e libri stranieri

1. Zucchelli P, Zuccalà A, Mancini E. Hypertension in primary glomerulonephritis without renal insufficiency. *Nephrology Dialysis Transplantation* 4(7).1989; p.605
2. Santoro A, Mancini E, Spongano M, Rossi M, Paolini F, Zucchelli P. A haemodynamic study of hypotension during haemodialysis using electrical bioimpedance cardiography. *Nephrol Dial Transplant. Suppl* 1. 1990; p.147-153.
3. Santoro A, Mancini E, Spongano M, Zucchelli P. The heart and cardiovascular instability during haemodialysis. *Revista Portuguesa de Nefrologia e Hipertensao* 1.1991; p.15-27
4. Mancini E, Spongano M, Santoro A, Francioso A, Rossi M, Paolini F, Zucchelli P. Role of hypovolemia in dialysis-induced hypotension. In: *Blood Purification in Perspective: New insights and Future Trends. Volume II*. ICAOT Press, 1992; p.68-73
5. Santoro A, Rossi M, Paolini F, Mancini E, Spongano M, Zucchelli P. Parameter estimator and adaptive controller in regulating intradialytic blood volume trends. In: *Blood Purification in Perspective: New Insight and Future Trends. Volume II*. ICAOT Press, 1992; p.74-77
6. Mancini E, Santoro A, Spongano M, Paolini F, Rossi M, Zucchelli P. Continuous on-line optical absorbance recording of blood volume changes during hemodialysis. *Art Organs* 17(8). 1993; p.691-694
7. Santoro A, Mancini E, Paolini F, Zucchelli P. Automatic control of blood volume trends during hemodialysis. *ASAIO Journal* 40(3),1994; p. M419-M422
8. Mancini E, Santoro A, Spongano M, Paolini F, Zucchelli P. Effects of automatic blood volume control over intradialytic hemodynamic stability. *Int J Artif Organs* 18(6) 1995; p. 495-498
9. Paolini F, Mancini E, Bosetto A, Santoro A. Hemoscan: a dialysis machine-integrated blood volume monitor. *Int J Artif Organs* 18(9) 1995; p. 487-494
10. Santoro A, Mancini E, Spongano M, Di Giovannantonio C, Zucchelli P. The continuous monitoring of dialysis adequacy parameters. *Issues in Nephrosciences* 5.94; Wichtig Editore Milano 1995; p. 69
11. Santoro A, Mancini E, Zucchelli P. Blood volume and arterial pressure behaviour during hemodialysis. *Issues in Nephrosciences* 6.96; Wichtig Editore Milano 1996; p.197-208.
12. Santoro A, Mancini E, Paolini F, Zucchelli P. Blood volume monitoring and control. *Nephrol Dial Transplant* 11(Suppl 2), 1996; p.42-47.
13. Santoro A, Mancini E. Clinical significance of intradialytic blood volume monitoring - *Int J Artif Organs* 20(1),1997; p.1-6.
14. Santoro A, Mancini E, Zucchelli P. Ultrafiltration behaviour with different dialysis schedules. *Nephrol Dial Transplant* 13(Suppl 6). 1998 ;p.55-61
15. Santoro A, Mancini E. Effects of on-line monitoring on dialysis quality. *Nephrologisches Jahresgesprach* 1997 ; p. 23-30
16. Santoro A, Mancini E, Paolini F, Cavicchioli G, Bosetto A, Zucchelli P. Blood volume regulation during hemodialysis. *Am J Kidney Dis* 32(5),1998 ;p.739-748
17. Santoro A, Panzetta G, Tessitore N, Atti M, Mancini E et al. A prospective randomized european multicenter study on medium-long run mortality and morbidity : a comparison between acetate-free biofiltration and bicarbonate dialysis. *J Nephrol.* 1999;12(6):375-382.
18. Santoro A, Mancini E, Zucchelli P. The impact of hemofiltration on the systemic cardiovascular response. *Nephrol Dial Transplant* 2000; (Suppl 2):49-54.

19. Severi S, Cavalcanti S, Mancini E, Santoro A. Heart rate response to hemodialysis-induced changes in potassium and calcium levels. *J Nephrol* 2001; 14:488-496.
20. Santoro A, Mancini E. Cardiac effects of chronic inflammation in dialysis patients. *Nephrol Dial Transplant* 2002;17(Suppl 8):1-6
21. Santoro A, Mancini E. Dialysis quality and biofeedback systems. *Cardioneurology* 7. Editors M Timio, V Wizeman, S. Venanzi. Editoriale Bios 2002, pp.317-323.
22. Severi S, Cavalcanti S, Mancini E, Santoro A. Effect of electrolyte and pH changes on the sinus node pacemaking in humans. *J Electrocardiol* 2002;35(2) 115-124.
23. Santoro A, Mancini E. Blood volume monitoring systems and biofeedback. *Contrib Nephrol. Basel. Karger. 2002; vol 137: pp. 233-244.*
24. Santoro A, Mancini E, Fontanazzi F, Paolini F. Potassium profiling in acetate-free biofiltration. *Contrib Nephrol. Basel. Karger. 2002; vol 137: pp. 260-267.*
25. Santoro A, Mancini E, Basile C, Amoroso L, et al. Blood-volume controlled hemodialysis in hypotension-prone patients: a randomised, multicenter, controlled trial. *Kidney Int* 2002; 62:1034-1045.
26. Santoro A, Mancini E, Canova C, Mambelli E. Thermal balance in convective therapies. *Nephrol Dial Transplant* 2003;18(Suppl 7):vii41-vii45
27. Santoro A, Mambelli E, Canova C, Lopez A, Sestigiani E, Mancini E. Biofeedback in dialysis. *J Nephrol* 2003;16(Suppl 7):48-56.
28. Faenza S, Mancini E, Petrini F, Santoro A, Zanoni A, Martinelli G. Role of intensive therapy in liver transplant recipient: experience in blood purification and biosynthetic techniques. *Transplant Proc* 2004;36(3):555-7.
29. Mancini E, Mambelli E, Santoro A. Convective online dialysis techniques ad cardiovascular protection. *Cardioneurology* 8. Editoriale Bios 2004; pp.287-294.
30. Santoro A, Mancini E. The kidney in hepatorenal syndrome (II Part). *Int J Artif Organs* 2004;27(2):95-103.
31. Santoro A, Manini E, Buttiglieri S, Krause A, Yakubovich M, Tetta C. Extracorporeal support of liver function (II Part). *Int J Artif Organs* 2004;27(3):176-185.
32. Santoro A, Canova C, Mancini E, Deppisch R, Beck W. Protein loss in on-line hemofiltration. *Blood Purif* 2004;22:261-268.
33. Faenza S, Mancini E, Petrini F, Santoro A, Zanoni A, Martinelli G. Role of intensive therapy in liver transplant recipients: experience in blood purification and biosynthetic techniques. *Transpl Proc* 2004;36:555-557.
34. A. Santoro, E. Mancini, L. Bibiano, A. Specchio, A. Francioso, C. Robaudo, M.A. Nicolini, G. Tampieri, A. Fracasso, Virgilio, W. Piazza, M. Di Luca, G. Campolo, F. De Tomaso, A. Montanari, A. Gattiani, F. Aucella, L. Fattori, R. Estivi, S. Costantini. Online convective therapies: results from a hemofiltration study. *Contrib Nephrol, Basel, Karger, 2005. vol. 149, pp 51-57.*
35. Santoro A, Mancini E, Gaggi R, Cavalcanti S, Severi S, Cagnoli L, Badiali F, Perrone B, London G, Fessy H, Mercadal L, Grandi F. Electrophysiological response to dialysis: the role of dialysate potassium content and profiling. *Contrib Nephrol. Basel. Karger. 2005. vol. 149. pp 295-305.*
36. Santoro A, Conz PA, De Cristoforo V, Acquistapace I, Gaggi R, Ferramosea E, Renaux JL, Rizzioli E, Wratten ML. Mid-dilution: the perfect balance between convection and diffusion. *Contrib Nephrol. Basel, Karger, 2005. vol. 149. pp 107-114.*

- 37. Padrini R, Canova C, Conz P, Mancini E, Rizzioli E, Santoro A. Convective and adsorptive removal of β 2-microglobulin during predilutional and postdilutional hemofiltration. *Kidney Int* 2005;68:2331-37.
- 38. Santoro A, Faenza S, Mancini E, Ferramosca E et al. Prometheus system: a technological support in liver failure. *Transplantation Proc* 2006;38(4):1078-1082.
- 39. Faenza S, Santoro A, Mancini E, Pareschi S, Siniscalchi A, Zanzani C, Pinna AD. Acute Renal Failure Requiring Renal Replacement Therapy After Orthotopic Liver Transplantation. *Transplant Proc.* 2006; 38(4):1141-2.
- 40. Santoro A, Canova C, Freyrie A, Mancini E. Vascular access for hemodialysis. *J Nephrol* 2006;19(3): 259-64
- 41. Santoro A, Mancini E, MAMHEBI Study Group. Effects of on-line hemofiltration versus Bicarbonate dialysis on mortality and morbidity in hemodialysis patients: a prospective, randomized, multicenter trial (MAMHEBI Study). *JASN* 2006; 17:24A
- 42. Santoro A, London G, Cagnoli L, Mercadal L, Fessy H, Perrone B, Severi S, Mancini E. Protective effects of profiled potassium dialysis against the appearance of cardiac arrhythmias in chronic hemodialysis patients. *JASN* 2006; 17:491A.
- 43. Ferramosca E, Mancini E, Wratten ML, Renaux JL, Varasani M, Santoro A. Reverse Mid-Dilution: a new way to remove small and middle molecules with high intrafilter convective clearance. *JASN* 2006; 17:719A.
- 44. Pasquali S, De Sanctis LB, Mancini E, Casanova S, Di Felice A, Mambelli E, Ricci D, Stalteri L, Santoro A. Renal failure associated with severe chronic liver diseases: when is listing for kidney-liver transplantation indicated? *JASN* 2006; 17:796A
- 45. Ferramosca E, Mancini E, Cannarile CD, Casentino ER, Grandi F, Santoro A. Is pulse wave velocity affected by the dialysis-induced changes of the volume status? *J Am Soc Nephrol* 2007;18:706
- 46. Flachi M, Mancini E, Cannarile CD, Soverini L, Facchini MG, Zucchelli A, Santoro A. Is the Stewart-Figge approach to the acid-base balance in chronic hemodialysis a useful instrument? *J Am Soc Nephrol* 2007;18:488.
- 47. Barozzi L, Valentino M, Santoro A, Mancini E, Pavlica P. Renal ultrasonography in critically ill patients. Renal ultrasonography in critically ill patients. *Crit Care Med.* 2007 May;35(5 Suppl):S198-205.
- 48. Mancini E, Mambelli E, Irpinia M, Alloatti S et al. Prevention of dialysis hypotension episodes using a fuzzy logic control. *Nephrol Dial Transplant* 2007;22:1420-1427.
- 49. Santoro A, Mancini E, Ferramosca E, Faenza S. Liver Support Systems. *Contribution to Nephrology.* Basel, Karger, 2007, vol 156, pp 396-404.
- 50. Mancini E, Santoro A. Pathophysiology of the hepatorenal syndrome. In: *Critical Care Nephrology.* Second Edition; C Ronco, R Bellomo, J Kellum Eds, Saunders Elsevier. Capitolo 192:pp 1040-1047.
- 51. Santoro A, Ferramosca E, Mancini E, Monari C, Varasani M, Sereni L, Wratten ML. Reverse mid-dilution: new way to remove small and middle molecules as well as phosphate with high intrafilter convective clearance. *Nephrol Dial Transplant* 2007;22:2000-2005.
- 52. Mambelli E, Mancini E, Santoro A. A continuous and noninvasive arterial pressure monitoring system in dialysis patients. *Nephron Clin Pract* 2007;107(4):c170-6. Epub 2007 Nov 1.
- 53. Mambelli E, Mancini E, Casanova S, Di Felice A, Santoro A. Severe Ticlopidine-Induced Cholestatic Syndrome. *Blood Purif.* 2007 Nov 14;25(5-6):441-445.
- 54. Faenza S, Bernardi E, Cimatti M, Dante A, Mancini E et al. Acute Renal Failure After Liver Transplantation in MELD Era. *Transplant Proc.* 2007 Jul-Aug;39(6):1945-6.

55. Santoro A, Mancini E. Biofeedback systems and their application in the Hemodialysis Therapy. In: "Advances in Psychology Research, Vol 51". Editor: A.M. Columbus, pp215-231. ISBN:978-1-60021-660-2; 2007 Nova Science Publisher, Inc.
56. Santoro A, Mancini E, Bolzani R, Boggi R, Cagnoli L, Francioso A, Fusaroli M, Piazza V, Rapanà R, Strippoli GFM. The effect of on line high flux hemofiltration versus low flux hemodialysis on mortality in chronic kidney failure: a small randomized controlled trial. *Am J Kidney Dis* 2008; 52(3):507-518.
57. Santoro A, Bolzani R, Mancini E. In reply to: Effect of hemofiltration on mortality : no definite answer yet. *Am J Kidney Dis*.2009;53(3):563
58. Santoro A, Mancini E, London G, Mercadal L, Fessy H, Perrone B, Cagnoli L, Grandi E, Severi S, Cavalcanti S. Patients with complex arrhythmias during and after hemodialysis suffer from different regimens of potassium removal. *Nephrol. Nephrol Dial Transplant*. 2008, 23:1415-1421.
59. Faenza S, Baraldi O, Bernardi M, Bolondi L, Coli L, Cucchetti A, Donati G, Gozzetti F, Lauro A, Mancini E, Pinna AD, Piscaglia F, Rasciti L, Ravaioli M, Ruggeri G, Santoro A, Stefoni S. Mars and Prometheus: our clinical experience in Acute Chronic Liver Failure. *Transplant Proc*. 2008 ;40(4):1169-71.
60. Santoro A, Ferramosca E, Mancini E. Biofeedback-driven dialysis: where are we? In: Ronco C, Cruz DN (eds): *Hemodialysis - From Basic Research to Clinical Trials*. Contrib. Nephrol. Basel. Karger 2008, vol 161, pp199-209.
61. Mancini E, Corazza L, Cannarile DC, Soverini ML, Cavalcanti S, Cavani S, Fiorenzi A, Santoro A. Short term variability of oxygen saturation during hemodialysis is a warning parameter for hypotension appearance. *Atti del Congresso Computers in Cardiology* 2008;35:881-883.
62. Santoro A, Guadagni G. Dialysis membrane: from convention to adsorption. *NDT Plus* 2010;3 (Suppl 1):i36-i39.
63. Mancini E, Santoro A. Dialisis Hepatica Extracorporea En La Unidad De Cuidados Criticos. In: *Cuidados Criticos: Protocols*. Ed: S.R.Villar; Marbad Libros S.L. 2011; pp 259-271
64. Santoro A, Mancini E, Grandi F. Ultrafiltration and dialysate conductivity biofeedback in the prevention of dialysis-related hypotension. *Port J Nephrol Hypert* 2010; 24(3): 195-200.
65. Santoro A, Mancini E. Hemodialysis and the elderly patient: complications and concerns. *J Nephrol* 2010;23(S15):S80-S89.
66. Mancini E, Caramelli F, Ranucci M, Sangiorgi D, Bacchi Reggiani L, Frascaroli G, Zucchelli A, Bellasi A, Santoro A. Is time on cardiopulmonary bypass during cardiac surgery associated with acute kidney injury requiring dialysis? *Hemodial Int* 2012 Apr;16(2):252-8.
67. Santoro A, Mancini E, Azar AT. Biofeedback systems and their application in the hemodialysis therapy. In: *Modeling and Control of Dialysis Systems*, SCI 405, Ed A.T. Azar, Springer-Verlag Berlin Heidelberg 2012; pp1081-1107.
68. Mambelli E, Barrella M, Facchini MG, Mancini E et al. The prevalence of peripheral neuropathy in hemodialysis patients. *Clin Nephrol*. 2012 Jun;77(6):468-75.
69. Kribben A, Gerken G, Haag S, Herget-Rosenthal S, Treichel U, Mancini E, Rifai K and the HELIOS Group. Fractionated plasma-separation and adsorption on survival in patients with acute-on-chronic liver failure. *Gastroenterology* 2012;142:782-789.
70. Santoro A, Grazia M, Mancini E. The Double Polymethylmethacrylate Filter (DELETE System) in the Removal of Light Chains in Chronic Dialysis Patients with Multiple Myeloma. *Blood Purif* 2013;35(Suppl 2):5-13.

71. Severi S, Vecchiatti S, Cavalcanti S, Mancini E, Santoro A - Electrocardiographic changes during hemodiafiltration with different potassium removal rates - *Blood Purif* 2003; 21: 381-388

La sottoscritta Elena Mancini, nata a San Lazzaro di Savena (BO), l'11-10-1957, e residente a San Lazzaro di Savena (BO), in via J.F. Kennedy 18, consapevole delle sanzioni penali previste dall'articolo 47 del D.P.R. n. 445/2000 cui può andare incontro in caso di dichiarazioni mendaci, e consapevole della decadenza dai benefici eventualmente conseguenti al provvedimento emanato sulla base di dichiarazioni non veritiere, dichiara che quanto sopra riportato corrisponde al vero.

Bologna, 22 gennaio 2014


.....
Dott.ssa Elena Mancini